

# PracticeVCE

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

15+  
YEARS IN BUSINESS

39795+  
SUCCESSFULL CASES

39305+  
SATISFIED CLIENTS

39395+  
THE NUMBER OF CONSULTING

## TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



### 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



### Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.



### Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

<http://www.practicevce.com>

Professional Study Tool and Reliable Exam Practice Material

**Exam** : **C2020-930**

**Title** : IBM SPSS Modeler  
Professional v3

**Vendor** : IBM

**Version** : DEMO

NO.1 An e-retailer conducting a data mining project has limited an initial study to approximately 30,000 customers who have registered on the site. There are still millions of records in the Web logs. The data miner wants to determine the frequency distribution of the age of their customers. The Age column is a continuous field.

Which node would you use to accomplish this task?

- A. Sim Fit node
- B. Report node
- C. Histogram node
- D. Transform node

**Answer:** C

NO.2 Which two types of missing values are automatically recognized by IBM SPSS Modeler Professional without being explicitly defined by users? (Choose two.)

- A. Null or system-missing values
- B. String with value "%NULL%"
- C. Blank missing values
- D. Numeric set to NaN

**Answer:** B,D

NO.3 You need to export data using IBM SPSS Modeler Professional. Which two nodes should be used to accomplish this task? (Choose two.)

- A. Database
- B. Select
- C. Flat File
- D. Filter

**Answer:** A,C

Reference:

[ftp://public.dhe.ibm.com/software/analytics/spss/documentation/modeler/16.0/en/modeler\\_nodes\\_general.pdf](ftp://public.dhe.ibm.com/software/analytics/spss/documentation/modeler/16.0/en/modeler_nodes_general.pdf)

NO.4 Which palette contains the Data Audit node?

- A. Output
- B. Modeling
- C. Graphs
- D. Sources

**Answer:** A

Reference:

[http://www01.ibm.com/support/knowledgecenter/SS3RA7\\_17.0.0/clementine/record\\_ops\\_nodes.html](http://www01.ibm.com/support/knowledgecenter/SS3RA7_17.0.0/clementine/record_ops_nodes.html)

NO.5 Which modeling node is supported in both Auto Classifier and Auto Numeric modeling nodes?

- A. Decision List
- B. Bayesian Network

C. Discriminant

D. Neural Net

**Answer:** C

Reference:

<ftp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/ModelingNodes.pdf>

NO.6 You want to calculate the difference between the minimum and maximum values of some of your data fields.

Which feature or mode of the Aggregate node would allow you to calculate this using a single node?

A. Aggregate expressions

B. Median mode

C. Default mode

D. Key field grouping

**Answer:** B

Reference:

<ftp://public.dhe.ibm.com/software/analytics/spss/documentation/modeler/15.0/en/UsersGuide.pdf>